BIRDS

DAVIS MOUNTAINS STATE PARK AND VICINITY



A FIELD CHECKLIST

INTRODUCTION

ying within the northern portion of the vast Chihuahuan biotic province, Jeff Davis County is located in the heart of the Trans- ☐ Pecos region of far west Texas. The county comprises 2,258 square miles and varies in elevation from approximately 3,800 feet to 8,378 feet above sea level. About 3,000 residents inhabit Jeff Davis County which is predominately ranching country and includes only two towns - Valentine and Fort Davis, the county seat. The most prominent geographical feature, the Davis Mountains, are characterized by rugged mesas, jagged escarpments, and sharp peaks in the highlands that are interspersed with gentle, rolling hills. Formed by a burst of intrusive and extrusive volcanic activity approximately 35 million years ago during the Miocene, the Davis Mountains today represent the largest and highest mountain range entirely within the state of Texas; over 600 square miles of the range are at elevations over 5,000 feet. The highest paved road in Texas terminates on top of Mount Locke at the McDonald Observatory at an elevation of 6,791 feet.

Jeff Davis County supports a diversity of habitat types due in large measure to the variance in elevation. Grasslands composed of mixed-grass or short-grass communities occur in the basin flats surrounding the mountains as well as on plateaus and rolling hills and are best developed up to 5,200 ft elevation. Blue grama (Bouteloua gracilis) and sideoats grama (B. curtipendula) are dominant although many other species occur, including bluestems (Bothriochloa spp.), three-awns (Aristida spp.), tobosa (Hilaria mutica), and muhlys (Muhlenbergia spp.). Chihuahuan desert scrub, typical of the lowland desert, has invaded certain grassland areas where lack of fire, soil erosion and periodic droughts have allowed the encroachment of desert plants. Creosotebush (Larrea tridentata), honey mesquite (Prosopis glandulosa), catclaw mimosa (Mimosa aculeatacarpa var. biuncifera), and other shrubs are common in these areas. Grassland habitats and their associated birdlife are best observed from US 90, TX 17, TX 118, TX 166, and RR 505 generally south and west of Fort Davis.

Elements of pinyon-juniper-oak woodlands are found generally between 4,400 – 5,500 feet elevation where gray oak (Quercus grisea), Emory oak (O. emoryi), and rose-fruited juniper (Juniperus coabuilensis) are dominant. At elevations above 5,500 feet, Mexican pinyon pine (Pinus cembroides) is found, alligator juniper (J. deppeana) begins to replace the other junipers, and silverleaf oak (*Q. hypoleucoides*) appears as a co-dominant. Chisos red oak (Q. gravesii), chinkapin oak (O. muhlenbergii), bigtooth maple (Acer grandidentatum) and Texas madrone (Arbutus xalapensis) occur in moist canyons and on protected slopes. At still higher elevations, generally above 6,000 feet, a montane woodland of pines and scattered oaks is found, skirted by an understory of grasses. Dominant trees in this woodland are ponderosa pine (P. ponderosa), southwestern white pine (P. strobiformis), and Gambel's oak (Q. gambelii). Occasional stands of quaking aspen (Populus tremuloides) are also present. The scenic loop drive through the Davis Mountains (TX 17, TX 118, and TX 166) traverses portions of both the pinyon-juniper-oak and pine-oak communities.

Streams, marshes (ciénegas), and earthen stock tanks dot the landscape and provide a variety of aquatic and wetland habitats, offering much-needed water, shelter, and food resources for wildlife. Riparian vegetation occurring in these areas includes Rio Grande cottonwood (*P. deltoides* ssp. *wislizenii*), Goodding willow (*Salix gooddingii*), yewleaf willow (*Salix taxifolia*), little walnut (*Juglans microcarpa*), netleaf hackberry (*Celtis reticulata*), desert willow (*Chilopsis linearis*), velvet ash (*Fraxinus velutina*), seepwillow baccharis (*Baccharis salicifolia*), and cattails (*Typha* sp.). Well developed cottonwood/ash/willow gallery woodlands occur in some locations along permanent watercourses, such as portions of Limpia and Musquiz creeks, although in other settings riparian vegetation forms low, dense thickets.

Davis Mountains State Park is situated in the transition zone between extensive grassland communities that encircle the Davis Mountains and the lower extension of the oak-juniper-pinyon woodlands, which dominate intermediate elevations of the mountains (altitudes in the park range from 4,900 to 5,675 feet). Emory oak woodlands occur along Keesy Creek and its canyon, while junipers and oaks occur intermixed with numerous shrubs, grasses, forbes, and succulents such as yucca and agave on slopes and at higher elevations in the park. Cottonwood and willow are common components of the riparian vegetation bordering Limpia Creek. The avifauna of the park is composed of species characteristic of grasslands, woodlands and riparian areas. Most of the birds found within the park and its immediate surroundings commonly occur in similar mountainous terrain throughout the American Southwest and northern Mexico. Occasionally, birds of the pine and oak forests, more characteristic of the highest portions of the Davis Mountains, visit the park, especially during severe winters, and irruptive species of the Rocky Mountain montane guild invade in some years.

Some of the higher and more significant elevations and habitats of the mountain range are included in the Davis Mountains Preserve, owned by The Nature Conservancy. It is here that the majority of montane (pineoak) habitats are located. Numerous exclusive species can be found in these upper elevation habitats, especially during the breeding season. Exclusive nesting species include Flammulated Owl, Band-tailed Pigeon, Mexican Whip-poor-will, Magnificent Hummingbird, Gray, Dusky, and Cordilleran Flycatchers, Violet-green Swallow, Plumbeous, Hutton's, and Warbling Vireos, House Wren, Hermit Thrush, Orange-crowned, Virginia's, Yellow-rumped (Audubon's), and Grace's Warblers, Painted Redstart, Western Tanager, Green-tailed Towhee, Red Crossbill, and Pine Siskin. Overall, an amazing 108 species are known or suspected to nest in the Davis Mountains at elevations above 5,500 feet. Other species essentially restricted to this zone during the periods indicated on the checklist include Northern Saw-whet Owl, Williamson's Sapsucker, Steller's Jay, Mountain Chickadee, Pygmy Nuthatch, and Hutton's Vireo.

This checklist includes all species known to occur within Jeff Davis County. Those recorded within Davis Mountains State Park and immediate vicinity, including Fort Davis and Fort Davis National Historic Site, are denoted by **boldface**. The habitat(s) in which each species is most likely to be encountered is also denoted; exclusive breeding habitats are indicated by **boldface**. Checklist nomenclature and organization follow the A.O.U. *Checklist of North American Birds* (7th Edition, 1998 as currently supplemented). This checklist was compiled by Kelly B. Bryan of Fort Davis, the late Pansy Espy of Fort Davis, and Jody and Clay Miller of Valentine, and is based in part on previous editions which were the result of many years of field observation by these and other observers, particularly the late Frances Williams of Midland.

Please belp protect natural avian communities by refraining from using playback tapes of bird songs. Frequent use of these tapes alters normal avian activity patterns, disrupts essential territorial behavior, and may lead to nest failure. Also remember that most land in the Davis Mountains is privately owned. At the present time, general public access is not permitted to any of the Nature Conservancy's holdings in the Davis Mountains. DO NOT TRESPASS.

Cover: Illustration of Montezuma Quail by Clemente Guzman.

LEGEND

Seasonal Occurrence

SP - Spring (March, April, May)

S – Summer (June, July)

EF – Early Fall (August, September)

LF – Late Fall (October, November)

W – Winter (December, January, February)

Abundance Designations

- A Abundant, always present and observed, expect large numbers in proper habitat and season
- C Common, always encountered in proper habitat and season, numbers may vary from low to high
- U Uncommon, usually present in proper habitat and season but may be overlooked, never common or abundant
- O Occasional, not always present but usually encountered at least once during season indicated, may occur in a narrow time frame within a season or in a very specialized habitat, numbers may vary
- R Rare, seldom recorded, not expected each season as designated, may not be recorded each year
- X Accidental, may be observed only once in ten years or more, not expected
- I Irruptive/Irregular, invasion species which may be absent some seasons/years, abundant others

Habitats

- WA All open water-related habitats including ponds and streams/rivers
- SM Shorelines and marsh-type habitats including all wetlands (ciénegas) and mudflats
- UR Urban/domesticated habitats including towns, subdivisions, farms and ranch complexes
- GR Grassland habitats including all open/mixed desert, basin and/or mountain grasslands
- RI Riparian habitats including shrub-tree thickets, oak woodlands and cottonwood galleries

- DS Desert habitats including desert scrub, open desert country and dry desert canyons
- PJ Pinyon/juniper habitats including juniper woodlands and the more mesic pinyon/juniper/oak habitats
- PO Pine/oak woodlands generally found above 5,500 feet elevation also called montane woodlands

CHECKLIST

Species	Habitat	SP	S	EF	LF	W
Fulvous Whistling-Duck	WA, SM	X		X		
Tundra Swan	WA, SM					X
Snow Goose	WA, SM, GR				0	R
Ross's Goose	WA, SM, GR	X				
Canada Goose	WA, SM, GR					0
Wood Duck	WA, SM, RI	R		R	R	R
Gadwall	WA, SM	U		0	U	U
American Wigeon	WA, SM	U		0	U	U
Mallard	WA, SM	0		R	0	0
(Mexican Duck) Mallard	WA, SM	U	0	U	U	U
Blue-winged Teal	WA, SM	C	R	C	U	0
Cinnamon Teal	WA, SM	0		R	0	0
Northern Shoveler	WA, SM	U		0	U	U
Northern Pintail	WA, SM	0		R	0	0
Green-winged Teal	WA, SM	U	X	0	C	C
Canvasback	WA, SM	0			0	0
Redhead	WA, SM	0			0	0
Ring-necked Duck	WA, SM	C			C	C
Lesser Scaup	WA, SM	0			0	0
Surf Scoter	WA, SM				X	
Bufflehead	WA, SM	U			U	U

Species	Habitat	SP	S	EF	LF	W
Common Goldeneye	WA, SM					X
Common Merganser	WA, SM	R				
Ruddy Duck	WA, SM	U	R	R	U	U
Scaled Quail	GR, DS	A	A	A	A	A
Gambel's Quail	RI	U	U	U	U	U
Northern Bobwhite	GR, DS	X				X
Montezuma Quail	RI, PJ, PO	C	C	C	C	C
Ring-necked Pheasant	PJ	R	R	R	R	R
Wild Turkey	RI, PJ, PO	C	C	C	C	C
Pied-billed Grebe	WA, SM	0	R	0	0	0
Horned Grebe	WA	R			R	R
Eared Grebe	WA	R		R	R	R
Western Grebe	WA	R		R	R	
Clark's Grebe	WA	X				
Double-crested Cormorant	WA				X	X
Anhinga	WA, SM			X	X	
American White Pelican	WA, SM	R		R		
Brown Pelican	WA, SM		X		X	
American Bittern	SM				R	
Great Blue Heron	WA, SM, RI	0	0	0	0	0
Great Egret	WA, SM	R			R	
Snowy Egret	WA, SM	0			0	
Cattle Egret	WA, SM, GR	0	R	0	R	
Green Heron	WA, SM, RI	0	R	0	R	
Black-crowned Night-Heron	SM, RI	0	R	0		
Yellow-crowned Night-Heron	SM, RI			X		
White-faced Ibis	WA, SM	0	R	0		
Roseate Spoonbill	WA, SM		X			
Black Vulture (Rio Grande corridor only)	SM, GR, RI	R	R	R	R	R

Species	Habitat	SP	S	EF	LF	W
Turkey Vulture	SM, GR, RI	A	A	A	С	С
Osprey	WA, SM	0	X	0	R	
Swallow-tailed Kite	UR, RI				X	
White-tailed Kite	SM, GR	R	R	R	R	R
Mississippi Kite	SM, RI			R		
Bald Eagle	WA, SM, GR	R			0	0
Northern Harrier	SM, GR	C	R	C	C	C
Sharp-shinned Hawk	RI, DS, PJ, PO	U	R	0	U	U
Cooper's Hawk	RI, PJ, PO	U	U	U	U	U
Northern Goshawk	PO	X			X	X
Common Black-Hawk	RI, PO	0	0	0	R	
Harris's Hawk	RI, DS	R	R	R	R	R
White-tailed Hawk	GR		X			
Gray Hawk	RI	R	R	R		
Red-shouldered Hawk	RI	X		X	X	
Broad-winged Hawk	RI, PO	X			X	
Short-tailed Hawk	PO	X				
Swainson's Hawk	RI, GR	C	U	C	0	X
Zone-tailed Hawk	RI, PJ, PO	U	U	U		X
Red-tailed Hawk	DS, GR, RI	C	C	C	A	A
Rough-legged Hawk	GR	X			X	X
Ferruginous Hawk	GR	U		0	U	U
Golden Eagle	DS, GR, PO	U	0	0	U	U
King Rail	SM	X				
Virginia Rail	SM	R	R	R	R	R
Sora	SM	0	R	0	0	R
Purple Gallinule	WA	X				
Common Moorhen	WA, SM	X				
American Coot	WA, SM	U	0	0	U	U
Sandhill Crane	SM, GR	0			U	0

Species	Habitat	SP	S	EF	LF	W
Black-necked Stilt	SM	R		0	R	
American Avocet	SM	0	R	0	R	
Snowy Plover	SM	R		R		
Semipalmated Plover	SM			0		
Killdeer	UR, SM, GR	C	C	C	C	C
Mountain Plover	SM, GR	0	X	R		
Spotted Sandpiper	SM, RI	U	R	0	U	R
Solitary Sandpiper	SM	U		U	0	
Greater Yellowlegs	SM	0	R	U	0	
Willet	SM	0	R	0		
Lesser Yellowlegs	SM	0	R	0	0	
Upland Sandpiper	SM, GR	0	R	U		
Long-billed Curlew	SM, GR	C	X	0	0	
Red Knot	SM				X	
Stilt Sandpiper	SM, GR		X			
Sanderling	SM	X				
Baird's Sandpiper	SM			0	0	
Least Sandpiper	SM	U		U	0	R
Pectoral Sandpiper	SM		X	X		
Western Sandpiper	SM	0		R	R	
Long-billed Dowitcher	SM	0		0	0	
Wilson's Snipe	SM, RI	U		0	U	U
Wilson's Phalarope	WA, SM	0		0		
Bonaparte's Gull	WA, SM				R	X
Franklin's Gull	WA, SM	R	X	R		
Ring-billed Gull	WA, SM	0			0	0
Herring Gull	WA, SM				X	
Sooty Tern	WA, SM		X			
Least Tern	WA, SM	X		X		
Black Tern	WA, SM	0		0		

Species	Habitat	SP	S	EF	LF	W
Forster's Tern	WA, SM	0		R	0	0
Rock Pigeon	UR	U	U	U	U	U
Band-tailed Pigeon	RI, PJ, PO	U	U	U	U	0
Eurasian Collared-Dove	UR	A	A	A	A	A
Inca Dove	UR, RI	R	R	0	0	R
Common Ground-Dove	RI	0	0	0	0	0
White-winged Dove	UR, RI, PJ	A	A	A	A	A
Mourning Dove	UR, GR, DS, RI	A	A	A	A	A
Yellow-billed Cuckoo	RI	U	U	U		X
Black-billed Cuckoo	RI			X		
Greater Roadrunner	GR, RI, DS	U	U	U	U	U
Groove-billed Ani	RI				X	
Barn Owl	UR, SM, GR, RI	0	0	0	0	0
Flammulated Owl	RI, PO	U	U	0	X	
Western Screech-Owl	RI, PJ, PO	U	U	U	U	U
Eastern Screech-Owl	RI	X				
Great Horned Owl	GR, RI, DS	U	U	U	U	U
Elf Owl	GR, RI, DS	0	0	R		
Burrowing Owl	GR, DS	U	U	U	0	R
Spotted Owl	RI, PO	R	R	R	R	R
Long-eared Owl	RI, PJ, PO	R	X	X	R	R
Short-eared Owl	SM, GR	0			0	0
Northern Saw-whet Owl	PO	X	X	X		
Lesser Nighthawk	SM, GR, DS	C	C	U		
Common Nighthawk	GR, RI	C	C	U		
Common Poorwill	GR, RI, DS, PO	C	C	C	U	R
Chuck-will's-widow	PO	X	X			
Mexican Whip-poor-will	PO	A	A	A		
Chimney Swift	UR	X	X	X	X	
White-throated Swift	RI, PO	A	A	A	C	I

Species	Habitat	SP	S	EF	LF	W
Green Violetear	PJ	X	X	X		
Magnificent Hummingbird	PJ, PO	U	U	U	R	X
Blue-throated Hummingbird	PO	R	R	R	R	
Lucifer Hummingbird	RI, DS	R	0	0	X	
Ruby-throated Hummingbird	UR, RI	R		U	0	X
Black-chinned Hummingbird	UR, RI, DS, PJ	A	A	A	0	X
Anna's Hummingbird	UR, RI, PJ	X	X	R	U	0
Costa's Hummingbird	PJ		X	X		
Broad-tailed Hummingbird	RI, PJ , PO	A	A	A	U	X
Rufous Hummingbird	UR, RI, PJ, PO	R(Mar	C(July)	A	U	0
Allen's Hummingbird	UR, RI		R(July)	0	R	R
Calliope Hummingbird	UR, RI, PJ, PO	X	U(July)	U	R	
Broad-billed Hummingbird	UR, RI, PJ	R	R	R	X	
Berylline Hummingbird	PO	X	X	X		
Violet-crowned Hummingbird	UR, RI, PJ, PO	X		X	X	X
White-eared Hummingbird	PO	R	R	R		
Belted Kingfisher	WA, SM, RI	U	R	U	U	0
Green Kingfisher	SM, RI			X		
Lewis' Woodpecker	UR, RI	R	X		R	R
Red-headed Woodpecker	UR, RI	X				X
Acorn Woodpecker	UR, RI, PJ, PO	C	C	C	C	C
Golden-fronted Woodpecker	UR, RI	X				
Williamson's Sapsucker	PJ, PO	0			U	0
Yellow-bellied Sapsucker	RI, PJ, PO	U			U	U
Red-naped Sapsucker	RI, PJ, PO	C		0	C	C
Red-breasted Sapsucker	PO	X				
Ladder-backed Woodpecker	RI, DS, PJ, PO	C	C	C	C	C
Downy Woodpecker	RI, PJ, PO	X			X	X
Hairy Woodpecker	RI, PO	X		X	X	X
Northern Flicker	RI, PJ, PO	C	C	C	C	C

Species	Habitat	SP	S	EF	LF	W
(Red-shafted) Flicker	RI, PJ, PO	С	С	С	C	С
(Yellow-shafted) Flicker	RI, PJ, PO	X			X	X
American Kestrel	RI, GR, DS	C	0	C	C	C
Merlin	WA, SM, GR	0		R	0	0
Aplomado Falcon (reintroduced) GR	X	X	X	X	X
Prairie Falcon	GR, DS, PO	U	0	U	U	U
Peregrine Falcon	$GR, RI, \mathbf{PJ}, \mathbf{PO}$	0	R	0	R	R
Olive-sided Flycatcher	RI, PO	U	R	U		
Greater Pewee	RI, PJ, PO	X	X	X	X	X
Western Wood-Pewee	RI, PJ, PO	A	A	A		
Eastern Wood-Pewee	RI	X				
Yellow-bellied Flycatcher	RI			X		
Willow Flycatcher	RI	U	X	U		
Least Flycatcher	RI	0		U		
Hammond's Flycatcher	RI, PJ, PO	0		U		X
Gray Flycatcher	RI, PO	C	C	U		
Dusky Flycatcher	RI, PJ, PO	C	U	U	R	X
Cordilleran Flycatcher	RI, PO	U	U	U		
Buff-breasted Flycatcher	PO	R	R	R		
Black Phoebe	WA, SM, RI	C	C	C	C	C
Eastern Phoebe	RI	0		R	0	0
Say's Phoebe	UR, GR, DS, RI	C	C	C	C	C
Vermilion Flycatcher	WA, SM, RI	U	U	U	R	R
Dusky-capped Flycatcher	PO	R	R	R		
Ash-throated Flycatcher	RI, DS, PJ, PO	C	C	0	R	R
Great Crested Flycatcher	RI			X		
Brown-crested Flycatcher	RI	X	X			
Cassin's Kingbird	UR, GR, RI, PO	A	A	A	U	
Thick-billed Kingbird	PO	X				
Western Kingbird	UR, GR, RI	C	U	C		

Species	Habitat	SP	S	EF	LF	W
Eastern Kingbird	UR, RI	R	X	R		
Scissor-tailed Flycatcher	UR, GR, RI	R	X	R		
Rose-throated Becard	RI		X			
Loggerhead Shrike	GR, RI, DS	C	C	C	C	C
White-eyed Vireo	RI	X				X
Bell's Vireo	RI, DS	C	C	C	0	
Black-capped Vireo	RI, PJ	X				
Gray Vireo	RI, PJ	0		R		
Yellow-throated Vireo	RI	0		R		
Plumbeous Vireo	RI, PJ, PO	C	C	U	0	R
Cassin's Vireo	RI, PJ, PO	0		0		
Blue-headed Vireo	RI				X	
Hutton's Vireo	PJ, PO	U	U	U	U	0
Warbling Vireo	RI, PJ, PO	U	U	U		
Philadelphia Vireo	RI	X				
Red-eyed Vireo	RI		X	X		
Pinyon Jay	GR, PJ, PO	I		I	I	I
Steller's Jay	RI, PJ, PO	C	C	C	C	C
Blue Jay	UR, RI	I		I	I	I
Western Scrub-Jay	UR, PJ, PO	A	A	A	A	A
Clark's Nutcracker	GR, PJ, PO	I	X	I	I	I
Black-billed Magpie	GR			X	X	
Chihuahuan Raven	GR, DS	A	A	C	0	R
Common Raven	RI, PJ, PO	C	C	C	C	C
Horned Lark	SM, GR, DS	A	A	A	A	A
Tree Swallow	RI	0		0	0	
Violet-green Swallow	RI, PJ, PO	A	A	A	R	R
Northern Rough-winged Swal	low RI	0	R	0		
Cliff Swallow	UR, RI	A	A	A		
Cave Swallow	UR, RI	U	U	U		

Species	Habitat	SP	S	EF	LF	W
Barn Swallow	UR, RI	A	A	A	U	
Mountain Chickadee	PJ, PO	C	C	C	C	C
Juniper Titmouse	PJ				X	X
Black-crested Titmouse	RI, PJ, PO	C	C	C	C	C
Verdin	RI, DS	U	U	U	U	U
Bushtit	RI, PJ, PO	A	A	A	A	A
Red-breasted Nuthatch	UR, RI, PO	I		I	I	I
White-breasted Nuthatch	UR, RI, PO	C	C	C	C	C
Pygmy Nuthatch	PO	X	X	X	X	X
Brown Creeper	RI, PO	0	R		0	0
Rock Wren	RI, DS	C	C	C	C	C
Canyon Wren	RI, DS, PO	C	C	C	C	C
House Wren	RI, DS, PO	C	C	C	U	0
Winter Wren	RI, SM, PO	R			0	R
Sedge Wren	SM, GR				X	X
Marsh Wren	RI, SM	U			U	R
Carolina Wren	RI	X		X		
Bewick's Wren	RI, DS, PJ	C	C	C	C	C
Cactus Wren	GR, RI, DS	C	C	C	C	C
Blue-gray Gnatcatcher	RI	C	X	0	C	R
Black-tailed Gnatcatcher	RI, DS	R	R	R	R	R
American Dipper	WA				X	X
Golden-crowned Kinglet	PJ, PO	U			U	U
Ruby-crowned Kinglet	RI, PJ, PO	C		0	C	C
Eastern Bluebird	RI, PJ	U		0	U	U
Western Bluebird	RI, PJ, PO	A	A	A	A	A
Mountain Bluebird	GR, PJ	I	X		I	I
Townsend's Solitaire	PJ, PO, RI	I			I	I
Veery	RI	X		X		
Swainson's Thrush	RI, PJ, PO	0		R	R	

Species	Habitat	SP	S	EF	LF	W
Hermit Thrush	RI, PJ, PO	U	U	0	C	U
Wood Thrush	RI	X				
Rufous-backed Robin	RI				X	
American Robin	UR, RI, PJ, PO	I	X	R	I	I
Varied Thrush	RI	X			X	
Gray Catbird	RI	R	X	R	R	X
Curve-billed Thrasher	DS, RI, PJ	C	C	C	C	C
Brown Thrasher	RI	R	X	R	R	R
Long-billed Thrasher	RI	X			X	
Crissal Thrasher	RI, DS	0	0	0	R	R
Sage Thrasher	DS, RI, PJ	0		R	U	U
Northern Mockingbird	UR, DS, RI	A	A	A	A	A
European Starling	UR	U	U	U	U	U
American Pipit	GR, SM	U			U	0
Sprague's Pipit	GR	0			0	R
Cedar Waxwing	UR, RI, PJ	C		R	U	C
Phainopepla	UR, RI, PJ	C	C	C	C	U
Olive Warbler	PO	X				
McCown's Longspur	GR	U			U	U
Smith's Longspur	GR					X
Chestnut-collared Longspur	GR, DS	A			A	A
Ovenbird	RI	X	X			
Worm-eating Warbler	RI	X		X		
Louisiana Waterthrush	WA, RI, SM	X	X	X		
Northern Waterthrush	WA, RI, SM	0		0		
Golden-winged Warbler	RI	X				
Blue-winged Warbler	RI	X				
Black-and-white Warbler	RI, PJ, PO	0	R	0		
Prothonotary Warbler	WA, RI	X				
Swainson's Warbler	RI	X				

Species	Habitat	SP	S	EF	LF	W
Tennessee Warbler	RI	X			X	
Orange-crowned Warbler	RI, DS, PJ, PO	U	R	U	C	0
Colima Warbler	PO	X	X	X		
Lucy's Warbler	RI	X	X	X		
Nashville Warbler	RI	U		U	0	
Virginia's Warbler	RI, DS, PJ, PO	U	R	U	0	
MacGillivray's Warbler	RI, SM, PO	C	X	U		
Mourning Warbler	RI	X		X		
Kentucky Warbler	RI	X		X		
Common Yellowthroat	SM, RI	0	R	0	R	R
Hooded Warbler	RI	X				
American Redstart	RI, PO	0		0	R	R
Cape May Warbler	RI	X				X
Northern Parula	RI	X				X
Tropical Parula	RI	X	X	X		
Blackburnian Warbler	RI	X				
Yellow Warbler	RI	U		U		
Chestnut-sided Warbler	RI	X				
Blackpoll Warbler	RI, PJ	X				
Black-throated Blue Warbler	RI	X		X	X	
Pine Warbler	PO	X		X		X
Yellow-rumped Warbler	UR,RI, PJ, PO	A	0	0	A	U
(Myrtle) Warbler	UR, RI, PJ, PO	R		X	0	0
(Audubon's) Warbler	UR, RI, PJ, PO	A	0	0	A	U
Yellow-throated Warbler	RI	R	X	R		
Grace's Warbler	PO	C	C	U		
Black-throated Gray Warbler	RI, PJ	U	X	U	R	X
Townsend's Warbler	RI, PO, PJ	R		C	U	X
Hermit Warbler	RI, PO	X		R	R	X
Canada Warbler	RI	X		X	R	

Species	Habitat	SP	S	EF	LF	W
Wilson's Warbler	UR, RI, PJ, PO	A	X	A	0	
Red-faced Warbler	PO	X		X		
Painted Redstart	PO	R	R	R		
Slate-throated Redstart	PO		X	X		
Yellow-breasted Chat	RI, DS	0	0	0		
Green-tailed Towhee	RI, DS, PO	C	0	U	U	U
Spotted Towhee	RI, PJ, PO	A	A	A	C	U
Rufous-crowned Sparrow	DS, RI, PJ, PO	C	C	C	C	C
Canyon Towhee	DS, RI, PJ	A	A	A	A	A
Cassin's Sparrow	DS, GR, RI	C	C	C	U	0
American Tree Sparrow	RI	X				X
Chipping Sparrow	UR, RI, PJ, PO	A	A	A	A	A
Clay-colored Sparrow	GR, DS, RI	C		C	U	I
Brewer's Sparrow	GR, DS, RI	U		0	C	C
Field Sparrow	RI	R		R	0	R
Black-chinned Sparrow	DS, RI, PJ, PO	U	U	U	U	0
Vesper Sparrow	GR, DS, RI	C		0	C	C
Lark Sparrow	GR, RI, PJ	C	C	C	U	X
Black-throated Sparrow	DS, RI	C	C	C	C	C
Sagebrush Sparrow	DS	0			0	0
Lark Bunting	DS, GR, RI	A	R(July)	C	A	A
Savannah Sparrow	DS, GR, RI	A		U	A	A
Grasshopper Sparrow	GR	I	I	U	U	U
Baird's Sparrow	DS, GR	R			R	R
Fox Sparrow	RI	R		R	R	R
Song Sparrow	RI	0			U	0
Lincoln's Sparrow	RI	C		0	C	U
Swamp Sparrow	RI	U			U	U
White-throated Sparrow	RI	0			0	0
Harris's Sparrow	RI					X

Species	Habitat	SP	S	EF	LF	W
White-crowned Sparrow	DS, RI	A		0	A	С
Golden-crowned Sparrow	DS, RI				X	X
Dark-eyed Junco	UR, RI, PJ, PO	C	X	0	A	A
(Red-backed) Junco	PJ, PO	X			X	X
(Gray-headed) Junco	UR, RI, PJ, PO	C		R	C	C
(Pink-sided) Junco	UR, RI, PJ, PO	C	X	0	A	A
(Oregon) Junco	UR, RI, PJ, PO	0		0	C	C
(Slate-colored) Junco	UR, RI, PJ, PO	R			R	R
(White-winged) Junco	PJ, PO	X				X
Hepatic Tanager	PJ, PO	C	C	U	0	
Summer Tanager	RI	C	C	C		
Scarlet Tanager	RI	X				
Western Tanager	RI, PJ, PO	U	U	C		
Flame-colored Tanager	PJ, PO		X		X	
Northern Cardinal	UR, RI	U	U	U	U	U
Pyrrhuloxia	RI, DS	A	C	C	A	A
Rose-breasted Grosbeak	RI	R	X	R		
Black-headed Grosbeak	UR, RI, PO, PJ	A	A	A	R	X
Blue Grosbeak	GR, DS, RI	A	A	A		
Lazuli Bunting	RI, DS	0		U		
Indigo Bunting	RI	R	R	0		
Varied Bunting	DS,RI	0	0	0		
Painted Bunting	RI	U	U	U		
Dickcissel	GR, DS	I	I	I		
Bobolink	GR	X				
Red-winged Blackbird	RI, SM	C	C	C	U	0
Eastern Meadowlark	GR, DS	A	A	A	A	A
Western Meadowlark	GR, DS	C		U	C	C
Yellow-headed Blackbird	RI, SM	U		U	0	
Brewer's Blackbird	UR, DS, GR	A	X	C	A	A

Species	Habitat	SP	S	EF	LF	W
Common Grackle	UR, RI	0			0	R
Great-tailed Grackle	UR, SM	U	R	R	R	R
Bronzed Cowbird	UR, RI	C	C	0		
Brown-headed Cowbird	UR, RI, DS, PJ	A	A	A	C	0
Orchard Oriole	UR, RI	C	C	U		
Hooded Oriole	UR, RI	R	R	R		
Bullock's Oriole	RI	C	U	C		
Scott's Oriole	DS, RI, PJ	C	C	C	X	X
House Finch	UR, RI, DS, PJ	A	A	A	A	A
Purple Finch	RI				X	
Cassin's Finch	UR, RI, PJ, PO	I	X		I	I
Red Crossbill	UR, PJ, PO	I	R	I	I	I
Common Redpoll	PJ, PO				X	X
Pine Siskin	UR, RI, PJ, PO	A	R	R	U	A
Lesser Goldfinch	RI, DS, PJ	C	C	C	C	U
Lawrence's Goldfinch	DS				X	X
American Goldfinch	UR, RI	U		R	0	0
Evening Grosbeak	UR, PJ, PO	I			I	I
House Sparrow	UR	A	A	A	A	A
House Finch	UR, RI, DS, PJ	A	A	A	A	A
Red Crossbill	UR, PJ, PO	I	R	I	I	I
Pine Siskin	UR, RI, PJ, PO	A	R	R	U	A
Lesser Goldfinch	RI, DS, PJ	C	C	C	C	U
Lawrence's Goldfinch	DS	X			X	X
American Goldfinch	UR, RI	U		R	0	0
Evening Grosbeak	UR, PJ, PO	I			I	I
House Sparrow	UR	A	A	A	A	A

CITATION

Bryan, Kelly, Pansy Espy and Jody Miller. November 2015. Birds of Jeff Davis County, Texas, including Davis Mountains State Park: a seasonal checklist. Natural Resource Program, Texas Parks and Wildlife.

In 1983, the Texas Legislature created the Special Nongame and Endangered Species Conservation Fund. This fund may be used for nongame wildlife and endangered species research and conservation, habitat acquisition and development and dissemination of information pertaining to nongame management. Money for this fund is obtained through private donations and sale of nongame wildlife art prints and stamps. This fund now gives Texans a unique opportunity to help support this state's valuable and sensitive nongame resources. Your individual contributions and purchases of nongame art prints and stamps will help determine the level of nongame conservation activities in Texas. For more information call toll-free (1-800-792-1112) or contact: Nongame and Endangered Species Program, Texas Parks and Wildlife Department, 4200 Smith School Road, Austin, Texas 78744.

TPWD receives funds from the USFWS. TPWD prohibits discrimination on the basis of race, color, religion, national origin, disability, age, and gender, pursuant to state and federal law. To request an accommodation or obtain information in an alternative format, please contact TPWD on a Text Telephone (TDD) at (512) 389-8915 or by Relay Texas at 7-1-1 or (800) 735-2989. If you believe you have been discriminated against by TPWD, please contact TPWD or the U.S. Fish and Wildlife Service, Office for Diversity and Workforce Management, 5275 Leesburg Pike, Falls Church, VA 22041.



Natural Resources Program Texas Parks and Wildlife 4200 Smith School Road Austin, Texas 78744